

PROJECTORS



DCPC02

1550005006 1/-/20

LED

IN/OUT IP44





230 V AC
/14 V DC




Change



10 000 h



Installation



cool white

DCPC04

1550002017 1/-/-20


LED

IN/OUT

IP44




8 592920 094266



230 V AC
/14 V DC

white



230 V AC
/14 V DC

cool white

warm white



DCPW05

1550005007

1/-/16

LED

IN/OUT

IP44



8 592920 094303



DCPN01

1550003000

1/-/16

LED

IN/OUT

IP44



8 592920 094273

NEW



3x AAA

warm white



DCPW05

1550000997

1/-/16

LED

Indoor

IP20

∅ 9 cm

∩ 10.5 cm



8 592920 099582

NEW



3x AA

warm white

cool white



DCPW06

1550000098

1/-/9

LED

Indoor

IP20

∅ 11.5 cm

∩ 12.5 cm



8 592920 099605



3× AAA

warm white

DCPW03 1550000044 1/-/-15

LED Indoor IP20

∅ 7 cm

⇅ 15 cm



3× AAA

cool white

DCPC05 1550002016 1/-/-15

LED Indoor IP20

∅ 7 cm

⇅ 15 cm



230 V AC
75 V DC



DCPM02 1550004001 1/-/-4

LED IN/OUT IP44

↔ 180 cm

⇅ 20 cm



DCPM02